

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(flush adj valve) and 137/550.ccls.	USPAT	OR	OFF	2005/06/21 19:03
L2	88	yen-chen\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 19:03
L3	24	(valve or filter or flush) and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 19:04
L4	157	(251/40).CCLS.	USPAT	OR	OFF	2005/06/21 19:04
L5	54	("2623542" "2705608" "2775984" "2899979" "2937658" "2941544" "3121445" "3474383" "3684013" "3768771" "3833019" "3872878" "4091996" "4105050" "4130128" "4132364" "4161965" "4165764" "4182356" "4191204" "4198031" "4248270" "4327891" "4332494" "4347866" "4420845" "4450863" "4492339" "4494562" "4667700" "4754897" "4938245" "5027861" "5082240" "5154394" "5213303" "5213305" "5232194" "5269333" "5271600" "5294058" "5363873" "5456279" "5617899" "5813652" "5887848").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/21 19:09
L6	0	("6467750").URPN.	USPAT	OR	OFF	2005/06/21 19:26
L7	23	filter and 251/40.ccls.	USPAT	OR	OFF	2005/06/21 19:29
L8	5	((("5813652") or ("6467750") or ("5154394") or ("4420845") or ("5082240")).PN.	USPAT	OR	OFF	2005/06/21 19:31
L9	4	verdecchia-\$.in. and diaphragm and valve	USPAT	OR	OFF	2005/06/21 19:31
L10	5	((("5813652") or ("6299128") or ("5154394") or ("4420845") or ("5082240")).PN.	USPAT	OR	OFF	2005/06/21 19:41
L11	36	toilet and 251/40.ccls.	USPAT	OR	OFF	2005/06/21 19:51

L12	1	("4420845").PN.	USPAT	OR	OFF	2005/06/21 19:51
L13	20	("1998861" "2195797" "2635622" "2706998" "2791235" "2891578" "2971525" "3066691" "3516094" "3930516" "4318194").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/21 19:54
L14	66	(toilet or flush) and 137/544-550. ccls.	USPAT	OR	OFF	2005/06/21 20:08
L15	23001	((filter or screen) same outlet) and valve	USPAT	OR	OFF	2005/06/21 20:09
L16	299	toilet and 15	USPAT	OR	OFF	2005/06/21 20:09
L17	259	filter and 16	USPAT	OR	OFF	2005/06/21 20:15
L18	104	(filter near4 outlet) and 137/544-550.ccls.	USPAT	OR	OFF	2005/06/21 20:16